EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20020186846".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 11:45
S2	2	"5450493".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 12:52
S3	7775	(709/227-228.ccls. or 380/255,277, 283.ccls. or 713/150,168,170-171. ccls.) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 13:14
S4	96153	(transmit$4 or send$3) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 12:53
S5	14575	S4 and (first or primary or open or unsecue$1) with (channel or path or route)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 15:27
S6	10823	S5 and (second$3 or auxiliary or confidential or alternat$3 or secur$2) with (channel or path or route)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 15:27
S7	1819	S6 and (compar$3 or verify$3 or verification) with (mac or code or hash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 15:27
S8	420	S7 and (two or multiple or second) with (portion or part) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 12:56

EAST Search History

S9	219	S8 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:07
S10	33	S9 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 12:58
S11	0	S10 and ike	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 12:57
S12	1	S9 and ike	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 12:57
S13	0	S9 and ikev2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 12:57
S14	28	S10 and (secur$3 with communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:18
S15	0	S14 and (unkeyed adj hash$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:00
S16	0	S9 and (unkeyed adj hash$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:00

EAST Search History

S17	45	ikev2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:07
S18	3	S17 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:09
S19	13	unkeyed adj hash$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:08
S20	6	S19 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:18
S21	1698	713/168,170.ccls. and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:11
S22	830	S21 and (secur$3 with communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:11
S23	109	S22 and (public adj key) with (verification or authenticat$3) with (code or number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:18
S24	62	responder with (generat$3) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:18

EAST Search History

S25	30	S24 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 10:11
S26	12	S25 and (secur$3 with communication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 13:18
S27	2	"6230272".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 14:21
S28	2	"6173400".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 14:37
S29	2	"20040158715".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 14:37
S30	5	raw adj1 public adj1 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/28 14:11
S31	682	(send$3 or transmit$4) with (key or password) with (secur$2) with (channel or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 10:10
S32	69	S31 and (send$3 or transmit$4) with (key or password) with (unsecur$2 or open or nonsecur$2 or "non-secure" or "non-secured") with (channel or path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 10:11

EAST Search History

S33	51	S32 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 17:28
S34	6	("20020087865" or "5159632" or "20040158715").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/29 17:28
S35	1721	713/168-169.ccls. and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/01 15:57
S36	946	S35 and ((secret or private) adj1 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 15:28
S37	756	S36 and (send$3 or transmit$4) with (key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/01 15:15
S38	171	S37 and ((hash$3 or authenticat$3 or verification or verifying) adj1 code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/01 15:57
S39	174	((secret or private) adj1 key) with (public adj1 key) with ((hash$3 or authenticat$3 or verification or verifying) adj1 code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 16:14
S40	103	S39 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/01 15:35

EAST Search History

S41	2043	(send$3 or transmit$4) with ((hash$3 or authenticat$3 or verification or verifying) adj1 code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/01 15:57
S42	8	(send$3 or transmit$4) with ((hash$3 or authenticat$3 or verification or verifying) adj1 code) with (secur$2 or encrypt$2) with (path or channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/01 15:57
S43	4	S42 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/01 15:57
S44	4	"4200770".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 09:53
S45	8618	(709/227-228.ccls. or 380/255,277, 283.ccls. or 713/150,168-171.ccls.) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 16:15
S46	1779	S45 and (first or primary or open or unsecue$1) with (channel or path or route)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 15:27
S47	1300	S46 and (second$3 or auxiliary or confidential or alternat$3 or secur$2) with (channel or path or route)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 15:27
S48	234	S47 and (compar$3 or verify$3 or verification) with (mac or code or hash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 15:27

EAST Search History

S49	154	S48 and ((secret or private) adj1 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 15:28
S50	40	((secret) adj1 key) with (public adj1 key) with ((hash$3 or authenticat$3 or verification or verifying) adj1 code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 16:17
S51	18	S50 and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 16:15
S52	27	((secret or symmetric) adj1 key) with (public adj1 key) with ((hash$3 or authenticat$3 or verification or verifying) adj1 code) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 16:29
S53	60	(authenticat$2 adj1 (path or channel)) and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/04 16:30
S54	8618	(709/227-228.ccls. or 380/255,277, 283.ccls. or 713/150,168-171.ccls.) and @ad<"20031001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 13:14
S55	315	S54 and (authenticat$2 with (path or channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 13:14
S56	49	S55 and ((nonsecur$2 or open) with (path or channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 13:22

EAST Search History

S57	28	S55 and (man with middle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 13:22